			CYLINDA		
Supplier's address (b): Elekt	troskandia \$	Sverige Al	B, Norrvikenleden 97, 19270 Sollent	una, Swed	len
Model identifier: FT 5464X					
General product parameters:	_				
Parameter	Value		Parameter	Value	
Rated capacity (ª) (kg)	6,0		Dimensions in cm	Height	84
				Width	60
				Depth	49
≣El _W (a)	79,5		Energy efficiency class (a)	D	
Washing efficiency index (a)	1,04		Rinsing effectiveness (g/kg) (a)	4,9	
Energy consumption in kWh per cycle, based on the eco 40-60 pro- gramme. Actual energy consump- ion will depend on how the appli- ance is used.	0,644		Water consumption in litre per cycle, based on the eco 40-60 programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	36	
Maximum temperature inside the treated textile (°) (°C)	Rated capacity	42		Rated capacity	53
	Half	33	Remaining moisture content (a) (%)	Half	53
	Quarter	24		Quarter	54
Spin speed (*) (rpm)	Rated capacity	1400			
	Half	alf 1400 Spin-drying efficiency class (a)		В	
	Quarter	1400	1		
Programme duration (ª) (h:min)	Rated capacity	3:17		free-standing	
	Half	2:35	Туре		
	Quarter	2.35			
Airborne acoustical noise emissions in the spinning phase (a) (dB(A) re 1 pW)	71		Airborne acoustical noise emission class (a) (spinning phase)	А	
Off-mode (W)	0,5		Standby mode (W)	0,5	
Delay start (W) (if applicable)	4,0		Networked standby (W) (if applicable)	2	
Minimum duration of the guarantee of	fered by the s	supplier (b):	.12		
This product has been designed to release silver ions during the washing cycle			NO		
Additional information:					
Weblink to the supplier's website, v2019/2023 (¹) (b) is found: N/A	where the inf	formation i	n point 9 of Annex II to Commission R	egulation (EU)